



Taiwan CDC Expanded Government-funded Hepatitis A Vaccination Pilot Program Oct 2016.

Target: confirmed HIV/STD born after January 1, 1977.

CDC offered one government-funded dose of hepatitis A vaccine. (25,000 individuals are eligible for the vaccine)

Eligible individuals are urged to receive the vaccine at contracted healthcare facilities to lower the risk of infection.

Six months to a year later, the same individuals are advised to receive the second dose at their own expense.

third dose for insufficient immunity.

十月新制報你知

『擴大A型肝炎公費疫苗接種試辦計畫』

為了控制全台A肝新高疫情，疾管署於105年10月1日起，開放施打A肝公費疫苗，接種對象包含：

1. 設籍山地鄉、9個鄰近山地鄉的平地鄉鎮、金馬地區兒童。

2. 急性病毒性A型肝炎確定病例接觸者。

新增A型肝炎公費疫苗接種對象：

3. A肝合併愛滋、梅毒、淋病等性病感染者：
民國66年(1977/1/1)(含)以後出生(現齡為40歲以下)，且確診HIV感染或新確診梅毒、淋病者，公費提供免費施打一劑A型肝炎疫苗(接種後第6~12個月內需自費接種第二劑)。

符合條件民眾請主動前往合作院所接種~



接種疫苗

苗為A型肝炎最有效的預防措施，95%以上的人在接種一劑疫苗後可產生保護抗體；如按期完成兩劑疫苗接種，產生的免疫力更可維持20年以上(若免疫功能不足，經醫師評估，有需要者應自費接種第三劑，以建立長期免疫力)。

● 相關資訊可至疾管署全球資訊網

<http://www.cdc.gov.tw>

或撥打免費專線1922

0800-001922洽詢



臺北市立聯合醫院林申昆院區
臺北市立聯合醫院昆明防治中心 關心您



free at-home testing for HIV

- Taiwan CDC is now offering free OraQuick HIV kits at four lesbian, gay, bisexual and transgender resource centers. The latest initiative in its campaign for greater participation in HIV counseling and testing.
- People who think they may have contracted HIV can now perform a quick, free home test to determine their status.
- The test has a 99 percent sensitivity/specificity and is easily carried out. simply to collect oral fluid by swabbing upper and lower gums with the device provided in the kit and insert it into a test tube for 20 to 30 minutes to obtain the results.
- a positive result from oral fluid testing is preliminary and the person's status would have to be confirmed by additional testing.



free at-home testing for HIV




Time: 2016/9-2016/12
 Price: NT 200
 No.: 700 packs
 Sites: KPCC, 6 Pharmacies.

中山區/力大藥局、啟美藥局
 松山區/正昇藥局
 北投區/祐鄰藥局
 士林區/博信藥局

Vending Machine: 臺灣科技大學、西門紅樓

地點	盒數	金額	比率
昆明防治中心	236	47200	33.7%
紅樓	308	61600	44%
臺科大	118	23600	16.9%
立大藥局	9	1800	1.3%
啟美藥局	10	2000	1.4%
正昇藥局	8	1600	1.2%
博信藥局	8	1600	1.2%
祐鄰藥局	3	600	0.3%
總計	700	140000	100%



自我篩檢 愛自己也是一種 Rocker 態度

您曾因不安全性行為而有負擔嗎？
 您可以掌握自身感染狀態

臺灣暗夜快速自我篩檢服務
 活動期間：105年9月1日至106年12月15日
 活動網頁：http://hiva.odt.gov.tw/taifast
 活動方式：購買試劑提供地點支付200元取樣試劑，完成篩檢後，請至活動網頁登錄並領步贈券1000元。

試劑提供地點

名稱	地址	備註
昆明防治中心	臺北市中山區昆明街101號	每日上午9時至下午5時
紅樓	臺北市西門區西門路100號	每日上午9時至下午5時
臺科大	臺北市大安区羅斯福路1號	每日上午9時至下午5時

試劑提供地點


名稱	地址	備註
力大藥局	臺北市中山區大直街100號	每日上午9時至下午5時
啟美藥局	臺北市中山區大直街100號	每日上午9時至下午5時
正昇藥局	臺北市松山區正昇街100號	每日上午9時至下午5時
祐鄰藥局	臺北市北投區祐鄰街100號	每日上午9時至下午5時
博信藥局	臺北市士林區博信街100號	每日上午9時至下午5時

臺灣CDC 衛生部疾病管制署
 TAIWAN CDC
 1922

Pilot study for HIV screening and PrEP (pre exposure prophylaxis)



- The project is provided by five AIDS hospitals around Taiwan
- Nov. 2016 to Aug, 2017, to five hospitals anonymous screening service points, screening and risk assessment
- For **HIV negative** but **high-risk**, and **willingness** to participate, will subsidize 1000 cases, 1 year for daily medication of Truvada. (1/3 of total price paid by CDC)
- An additional 20,000 people are expected to be screened during the implementation of the program
- Anonymous screening positive rate of 2% estimated, It is estimated **that 400 new infections will be detected early**, And through the provision of 1,000 people receiving preventive dosing services, Can **prevent at least 27 people infected**.





Summary

- MSM with unsafe sex remain the main risk factor of HIV epidemic in Taipei City.
- HIV Epidemic slowed down, but drug abuse and chemsex with iv amphetamin may threaten AIDS control.
- HAV vaccination, Harm reduction, Treatment as Prevention
- ready to promote PreP, expect to reduce more infections.



 臺北市立聯合醫院
TAIPEI CITY HOSPITAL

2017一起世大運




TAIPEI 2017
UNIVERSIADE
臺北世大運

8.12-8.30